

AMENDMENTS TO THE CLAIMS:

This listing of claims will replace all prior versions, and listings, of claims in the application.

Listing of Claims:

Claim 1 (Currently Amended): A navigation apparatus comprising:
an acquisition device for acquiring a current position of a moving body;
a registration device for registering a destination;
a reading device in which a portable recording medium having block map data recorded thereon is mounted and which reads at least the block map data recorded on the portable recording medium, the block map data formed by dividing an entire map into a plurality of blocks;
a setting device for setting a route to the destination based on the acquired current position, the registered destination and the recorded block map data;
a memory device; ~~and~~
a transfer device for setting the block map data belonging to a geographical range that includes a road set as the route, and for transferring the set block map data from the portable recording medium to the memory device during route guidance along the set route,
wherein the geographical range of the block map data surrounding a predetermined point on the set route is wider than the geographical range of the block map data surrounding another point on the set route; ~~and~~
a route guidance device for performing the route guidance based on the set route and the block map data stored in the memory device; and
a delete device for deleting block map data in the memory device,
wherein
the transfer device interrupts transferring set block map data when the portable recording medium is removed from the reading device during the route guidance and the route guidance

device performs the route guidance based on the block map data stored in the memory device prior to the interrupting of the transferring, and

when the portable recording medium is mounted on the reading device again after the removing thereof, the delete device determines whether there is block map data stored in the memory device that is to be deleted and then deletes any such block map data, and the transfer device transfers set block map data based on a route to the destination from the current position of the moving body acquired when the portable recording medium is mounted again.

Claim 2 (Previously Presented): The navigation apparatus according to claim 1, wherein:

the geographical range of the block map data surrounding the destination on the set route is wider than the geographical range of the block map data surrounding the other point on the set route.

Claim 3 (Previously Presented): The navigation apparatus according to claim 2, wherein

the geographical ranges of the block map data surrounding the destination on the set route and of the current position of the moving body when the route is set are wider than the geographical range of the block map data surrounding the other point on the set route.

Claims 4-8 (Canceled).

Claim 9 (Currently Amended): A navigation map data acquisition method comprising:

an acquisition step of acquiring a current position of a moving body;

a registration step of registering a destination;

a reading step of reading block map data recorded on a mounted portable recording medium, the block map data formed by dividing an entire map into a plurality of blocks;

a setting step for setting a route to the destination based on the acquired current position, the registered destination and the recorded block map data;

a recording step of setting the block map data belonging to a geographical range that includes a road set as the route, transferring the set block map data from the portable recording medium to a memory device during route guidance along the set route, and storing the transferred block map data in the memory device,

wherein the geographical range of the block map data surrounding a predetermined point on the set route is wider than the geographical range of the block map data surrounding another point on the set route;

a route guidance step of performing the route guidance based on the set route and the block map data stored in the memory device;

an interrupting step of interrupting transferring of the set block map data when the portable recording medium is removed from a reading device in which the portable recording medium is mounted during route guidance; and

a first delete step of determining whether there is block map data stored in the memory device to be deleted and then deleting any such block map data when the portable recording medium is mounted again on the reading device after removing the portable recording medium;
and

a retransferring step of transferring set block map data based on a route to the destination from the current position of the moving body acquired when the portable recording medium is mounted again on the reading device after removing the portable recording ~~recording~~ medium,

wherein the route guidance is performed based on the block map data stored in the memory device prior to interrupting of the transferring when the portable recording medium is removed from the reading device during route guidance.

Claim 10 (Previously Presented): The navigation map data acquisition method according to claim 9, wherein:

the geographical range of the block map data surrounding the destination on the set route is wider than the geographical range of the block map data surrounding the other point on the set route.

Claim 11 (Currently Amended): A recording medium on which a map data acquiring program is recorded so as to be read by a computer, the computer included in a navigation apparatus for navigating a moving body, the program causing the computer to function as:

an acquisition device for acquiring a current position of the moving body;

a registration device for registering a destination;

a reading device in which a portable recording medium having block map data recorded thereon is mounted and which reads at least the block map data recorded on the portable recording medium, the block map data formed by dividing an entire map into a plurality of blocks;

a memory device;

a transfer device for setting the block map data belonging to a geographical range that includes a road set as the route, and for transferring the set block map data from the portable recording medium to the memory device during route guidance along the set route,

wherein the geographical range of the block map data surrounding a predetermined point on the set route is wider than the geographical range of the block map data surrounding another point on the set route; ~~and~~

a route guidance device for performing the route guidance based on the set route and the block map data stored in the memory device; and

a delete device for deleting block map data in the memory device,

wherein

the transfer device interrupts transferring set block map data when the portable recording medium is removed from the reading device during the route guidance and the route guidance device performs the route guidance based on the block map data stored in the memory device prior to the interrupting of the transferring, and

when the portable recording medium is mounted on the reading device again after the removing thereof, the delete device determines whether there is block map data stored in the memory device that is to be deleted and then deletes any such block map data, and the transfer device transfers set block map data based on a route to the destination from the current position of the moving body acquired when the portable recording medium is mounted again.

Claim 12 (Previously Presented): The recording medium according to claim 11, wherein the geographical range of the block map data surrounding the destination on the set route is wider than the geographical range of the block map data surrounding the other point on the set route.

Claim 13 (Previously Presented): The navigation map data acquisition method according to claim 9, wherein
the geographical ranges of the block map data surrounding the destination on the set route and of the current position of the moving body when the route is set are wider than the geographical range of the block map data surrounding the other point on the set route.

Claim 14 (Previously Presented): The recording medium according to claim 11, wherein
the geographical ranges of the block map data surrounding the destination on the set route and of the current position of the moving body when the route is set are wider than the geographical range of the block map data surrounding the other point on the set route.

Claim 15 (Currently Amended): The navigation apparatus according to claim 1, wherein further comprising:
the [[a]] delete device deletes for deleting stored and spent block map data for the route guidance from the memory device when there is not enough space for storing all of the set block map data in the memory device, and
wherein the transfer device interrupts transferring the set block map data when there is not enough space for storing all of the set block map data in the memory device, and transfers set block map data not previously transferred after the delete device deletes the stored and spent block map data for the route guidance.

Claim 16 (Canceled).

Claim 17 (Previously Presented): The navigation apparatus according to claim 1,

wherein the setting device resets the route based on the block map data which is already stored in the memory device.

Claim 18 (Currently Amended): The navigation map data acquisition method according to claim 9, further comprising:

an interrupting step of interrupting transferring of the set block map data when there is not enough space for storing all of the set block map data in the memory device;

a second delete step of deleting stored and spent block map data for route guidance from the memory device after the transferring of the set block map data is interrupted; and

a transferring step of transferring set block map data not previously transferred after deleting the stored and spent block map data for route guidance.

Claim 19 (Canceled).

Claim 20 (Previously Presented): The navigation map data acquisition method according to claim 9,

wherein the route is reset based on block map data which is already stored in the memory device.

Claim 21 (Currently Amended): The recording medium according to claim 11, wherein further comprising:

the [[a]] delete device deletes ~~for deleting~~ stored and spent block map data for the route guidance from the memory device when there is not enough space for storing all of the set block map data in the memory device, and

wherein the transfer device interrupts transferring the set block map data when there is not enough space for storing all of the set block map data in the memory device, and transfers set block map data not previously transferred after the delete device deletes the stored and spent block map data for the route guidance.

Claim 22 (Canceled).

Claim 23 (Previously Presented): The recording medium according to claim 11, wherein the setting device resets the route based on the block map data which is already stored in the memory device.

Claim 24 (New): The navigation apparatus according to claim 1, wherein the delete device determines that block map data already used for route guidance is block map data to be deleted.

Claim 25 (New): The navigation apparatus according to claim 1, wherein the block map data set by the transfer device is based at least partly on past traveling conditions of the moving body.

Claim 26 (New): The navigation map data acquisition method according to claim 9, wherein the first delete step determines that block map data already used for route guidance is block map data to be deleted.

Claim 27 (New): The navigation map data acquisition method according to claim 9, wherein the setting of the block map data is based at least partly on past traveling conditions of the moving body.

Claim 28 (New): The recording medium according to claim 11, wherein the delete device determines that block map data already used for route guidance is block map data to be deleted.

Claim 29 (New): The recording medium according to claim 11, wherein the block map data set by the transfer device is based at least partly on past traveling conditions of the moving body.